



STATE OF NEW JERSEY
DEPARTMENT OF LAW AND PUBLIC SAFETY
DIVISION OF CONSUMER AFFAIRS
OFFICE OF WEIGHTS AND MEASURES
1261 ROUTES 1 & 9 SOUTH
AVENEL, NEW JERSEY 07001

VALIDATION CERTIFICATE

TEST NO. NJ231129

DATE: June 22, 2023

CERTIFICATE FOR West Windsor Township Police Department
20 Municipal Drive, P.O. Box 38
West Windsor, NJ 08550

This certifies that Laser Speed Detection Instrument, Serial Number TJ014296, has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The error found in the time base component will result in an error of less than 0.030 MPH at any speed. New Jersey Weights and Measures Sticker No. 004897-23 has been affixed to this device.




A handwritten signature in black ink, appearing to read "David Freed".

David Freed
Acting State Superintendent

Certificate of Calibration

This certifies that the LTI 20/20 TruSpeed® S Speed Detection Instrument listed below has been thoroughly tested and meets or exceeds all manufacturer specifications.

Serial Number:	TJ014296
Laser Power:	736 μ W nominal
Beam Divergence:	4 mrad nominal
Speed Accuracy:	± 2 kph or ± 1 mph
Speed Range Accy:	± 15 cm (± 6 in), $2\sigma^*$
Scope Alignment:	<input checked="" type="checkbox"/>
Field Test:	<input checked="" type="checkbox"/>


Quality Assurance Tech

Jun 08, 2023
Certification Date

* Nominal Calibration Distance (Reflective Target) or Angle Tolerance is 95% level of Confidence under normal test conditions at a Temperature of 23°C and a Barometric Pressure of 101kPa



6912 South Quentin Street
Centennial, CO 80112 USA
Phone: 1-303-649-1000
Fax: 1-303-649-9710
Web Site: www.lasertech.com