West Windsor Tov	wnship Green Development Practices Checklist - Cover Sheet	February 14, 2019
		Adopted by Environmental Commission
Development		
Application Name:		
		Application #
Address (Location):		
	Street # and Name	Town & State
Address (Mailing):	<u> </u>	
	Street # and Name	Town & State
Name & Title:		
Person Completing	Print Name	Title
Checklist		
	X Signature	Date
	•	
	I (above) certify that the information provided herewith is true	e and accurate to the best of my knowledge.
	The IIC was a Day also we get Duestice all and interned adds from	stice on the siding region in least for all City and Cultudinian
	The "Green Development Practices" are intended to fun	
	applications in West Windsor Township. Each applicant s	
	these items, as practical, into the project design. The practical	•
	progressive and innovative, since many of these practices	•
	the development industry. It is expected that these items	·
	development seeks to balance environmental, economic	and social aspects of a proposal such that the resultant
	neighborhood or business will be efficient in cost, impac	t and function. This list is not intended to be exclusive;
	incorporation of additional "Green Development Practice	es" similar to these items is strongly encouraged to help
	achieve the goal of making West Windsor	Fownship a more sustainable community.
	By incorporating this checklist into the Township plan s	ubmission checklist, developers will be encouraged to
	consider "Green Development Practices"	with the genesis of the project program.
	Township staff will be using this checklist to re	view the "green" character of an application.
	Applicants will be asked to provide testimony and support of	documents to describe the actions or practices that will be

Attached Checklist: 6 pages Cover Sheet

incorporated into their proposal, including verification subsequent to implementation.

					Adopted by Environmental Commission
	DEVELOPMENT APPLICATION NAME		DEVELOPMENT APPLICATION #	_	
1. L	andscape				
	Item	YES	Describe how this practice will be implemented and the benefits	NO	Reason this practice can not be integrated into this project
a	Plants - Specify only indigenous plant species within 3,000 feet of the Township Greenbelt and elsewhere when possible. Completely avoid exotic invasive plant species. Township will offer guidance for species to avoid.				
b	Develop landscape and stormwater maintenance specifications that employ integrated pest management post-bond to assure implementation for five years after occupancy				
	Total		]		
2. \	Vater				
a	Construct drip landscape irrigation in lieu of spray systems and/or install soil water sensors to conserve irrigation water use.				
b	Maximize water efficiency – Use low flow fixtures for faucets, toilets and shower heads, dry fixtures, or occupant sensors.				
С	Use native, drought tolerant plants to reduce landscape watering				
d	Provide a system for recycling grey water (non-potable / landscape)				
	Total				

Stormwater Management				
Item	YES	Describe how this practice will be implemented and the benefits	NO	Reason this practice can not be integrated into this project
Design and construct 10% to 30% of parking lots with pervious pavements (ecopavers, etc.). Consider pervious paver or pavement parking stalls and drive aisles where permitted by code.				
Utilize pervious materials for pedestrian sidewalks and paths.				
Develop innovative and progressive stormwater best management practices that embrace ecosystem-based, natural and sustainable versus artificial and high-maintenance means of treating storm water quality at the conceptual design phase (e.g., raingardens; bioretention swales / basins). Sand bottom basins are not considered sustainable since they are not ecosystem-based.				
Re-think stormwater management — do not think of stormwater as a by-product — manage stormwater as a resource. Implement stormwater harvesting elements such as collection of stormwater in cistern that is pumped into a building for water closet flushing, or into a water feature using solar-powered pumps.				
	Design and construct 10% to 30% of parking lots with pervious pavements (ecopavers, etc.). Consider pervious paver or pavement parking stalls and drive aisles where permitted by code.  Utilize pervious materials for pedestrian sidewalks and paths.  Develop innovative and progressive stormwater best management practices that embrace ecosystem-based, natural and sustainable versus artificial and highmaintenance means of treating storm water quality at the conceptual design phase (e.g., raingardens; bioretention swales / basins). Sand bottom basins are not considered sustainable since they are not ecosystem-based.  Re-think stormwater management — do not think of stormwater as a by-product — manage stormwater as a resource. Implement stormwater harvesting elements such as collection of stormwater in cistern that is pumped into a building for water closet flushing, or into a water	Design and construct 10% to 30% of parking lots with pervious pavements (ecopavers, etc.). Consider pervious paver or pavement parking stalls and drive aisles where permitted by code.  Utilize pervious materials for pedestrian sidewalks and paths.  Develop innovative and progressive stormwater best management practices that embrace ecosystem-based, natural and sustainable versus artificial and highmaintenance means of treating storm water quality at the conceptual design phase (e.g., raingardens; bioretention swales / basins). Sand bottom basins are not considered sustainable since they are not ecosystem-based.  Re-think stormwater management — do not think of stormwater as a by-product — manage stormwater as a resource. Implement stormwater harvesting elements such as collection of stormwater in cistern that is pumped into a building for water closet flushing, or into a water	Design and construct 10% to 30% of parking lots with pervious pavements (ecopavers, etc.). Consider pervious paver or pavement parking stalls and drive aisles where permitted by code.  Utilize pervious materials for pedestrian sidewalks and paths.  Develop innovative and progressive stormwater best management practices that embrace ecosystem-based, natural and sustainable versus artificial and high-maintenance means of treating storm water quality at the conceptual design phase (e.g., raingardens; bioretention swales / basins). Sand bottom basins are not considered sustainable since they are not ecosystem-based.  Re-think stormwater management — do not think of stormwater as a resource. Implement stormwater as a resource. Implement stormwater harvesting elements such as collection of stormwater in cistern that is pumped into a building for water closet flushing, or into a water	Design and construct 10% to 30% of parking lots with pervious pavements (ecopavers, etc.). Consider pervious paver or pavement parking stalls and drive aisles where permitted by code.  Utilize pervious materials for pedestrian sidewalks and paths.  Develop innovative and progressive stormwater best management practices that embrace ecosystem-based, natural and sustainable versus artificial and high-maintenance means of treating storm water quality at the conceptual design phase (e.g., raingardens; bioretention swales / basins). Sand bottom basins are not considered sustainable since they are not ecosystem-based.  Re-think stormwater management — do not think of stormwater as a by-product — manage stormwater as a resource. Implement stormwater harvesting elements such as collection of stormwater in cistern that is pumped into a building for water closet flushing, or into a water

4. Energy					
on this practice can not be rated into this project					

5. ا	5. Resources						
	Item	YES	Describe how this practice will be implemented and the benefits	NO	Reason this practice can not be integrated into this project		
а	Specify and implement site furnishings, site improvement and exterior building materials that are manufactured locally - within a radius of 500 miles - Provide list of products and manufacturer location to be evaluated with resolution compliance						
b	Construction Waste Management - Divert construction, demolition and land clearing debris from landfill disposal. Recycle and or salvage at least 50 % to 75% (by weight) all construction, demolition and land clearing waste.						
_	Total						
	Social	ı	T	ı			
а	Art - Implement indigenously inspired art in the landscape (sculpture — garden — mural/ relief — artistic site furnishing, etc.) - one application per building or per 300 residential units.						
b	Reduce Light Pollution - Eliminate all light trespass from the building & site.						
	Total						

7. 1	7. Transportation						
	Item	YES	Describe how this practice will be implemented and the benefits	NO	Reason this practice can not be integrated into this project		
а	Bicycles - Bicycle friendly parking area and road design, including exclusive or shared marked bike lanes and crossings. Provide lockable bicycle parking and lockers and showers for employees to encourage biking to work. Multi family residences should have accessible bicycle storage areas.						
b	Pedestrian – Pedestrian friendly design, to encourage walking between buildings. Follow best practices in design including sidewalks, crosswalks, signs and safe access to parking lots and buildings.						
С	Public Transportation – Provide safe pedestrian and bicycle access to available nearby public transportation. Provide or work with transportation officials to provide a safe and dry waiting area for nearby public transportation.						
d	Electric vehicles – Provide electric vehicle charging stations with minimum Level 2 (240 volt) capability. Charging spots should be clearly marked as reserved for vehicles while charging only.						

8. Other Green Building Practices						
	Item		Describe how this practice will be	NO	Reason this practice can not be	
	item	YES	implemented and the benefits		integrated into this project	
а	Other Green Building Practices that could					
	be voluntarily implemented, exceeding					
	building code requirements, to be listed					
	for verification as part of code official					
	review, but distinctly separate from the					
	requirements of the building code review.					
	requirements of the banding code review.					
b						
С						
	Total					