West Windsor Township

Department of Community Development – Division of Land Use

SITE PLAN CHECKLIST

PROPERTY LOC	ATION:					
BLOCK	LOT		_APPLICATION CON	ITROL NO)	
CHECKLIST COM	MPLETED BY _		CHECKED I	BY:		
() PRELIMINA	RY () FIN	NAL () PRELIMINARY/FINA	AL () SKETC	H PLAN
items are complet is requested, inse waiver is requeste	ed the applicant rt "W.R." on the ed. Certification raiver requests.	should check appropriate li of application	shown on plans submode that item off on the linguistry and on Page 7 indictions are completeness will be bownship Ordinances sl	ne provided icate your held in abe	d. If a waiv reasons as eyance, pe	ver of any item s to why the ending Planning
Section 200-11.A	·	shall contain	other documents subr following information ir juired for each reviews	n addition t		
<u>APPLICANT</u>						TOWNSHIP
1)	Title and locat	ion of propert	у		-	
2)	is landowner o	r applicant, th	owner and applicant. If ne principal office locat shall be included.			
3	professional p	reparing docu	sional license number a Iments and drawings. d by a licensed profess	All plans s	hall be	
4	A place for the Board and the		the Chair and Secreta rtment.	ry of the P	lanning	
5)) Date of plan a	nd any modifi	cations thereto.			
6) The legends, a Plan map.	as shown on I	Page 8 of this list, shal	l be on the	Site	
S	ection 200-12 <u>S</u>	KETCH PLAN	N REVIEW			
_						

200-12.A Sketch Details - The Sketch Site Plan may be prepared by the applicant and contain sufficient information for discussion by the Board and the applicant.

Section 200-13 PRELIMINARY SITE PLAN APPROVAL

200-13.C Preliminary Site Plan Details – The Preliminary Site Plan Application technical materials, notwithstanding any other requirements of this or other Township ordinances, shall contain the following:

<u>APPLICANT</u>		<u>TOWNSHIP</u>
	_ 1) Locator map at a scale of one inch equals two thousand feet (1"=2,000'), or larger scale, showing the lot and block number of the parcel in question and the lot and block number adjacent and opposite properties. This map should also show any contiguous lot in which the applicant has any direct or indirect interest, and the nature of the applicant's interest.	
	2) An aerial photograph superimposed upon the plans with the track boundaries outlined. Also photographs of the property where necessary to show any unusual topographic, environmental or physical aspect of the site. This would included but not be limited to rock outcroppings, vegetation, natural drainage ways, wetlands and existing structures and improvements.	
	_ 3) A preliminary plan at a scale of one inch equals fifty feet (1"=50"), or larger scale and any supplemental plans that are necessary to properly depict the project. In the case of a complex project a scale other than one inch equals 50 feet may be submitted provided that one copy of a photomechanical reduction to a scale of one inch equals fifty feet is submitted. The preliminary plan shall show at least the following information:	
	 (a) North arrow, scale, graphic scale, date and notes and dated revisions. 	
	(b) The zoning district in which the parcel is located together with the district boundaries included within the boundaries of the parcel or within two hundred (200) feet therefrom. All setback lin landscape strips, landscape buffers, building heights and other bulk requirements shall be shown and dimensioned. Any deviation from requirements of this Part 1 shall be specifically sh	·
	(c) Survey map, prepared by a licensed surveyor of New Jersey showing boundaries of the properties, lines of all existing streets roads, easements, rights-of –way, and areas dedicated to public within two hundred (200') feet of the development. These shall be dimensioned and where applicable, referenced as to direction.	use
	(d) References to any existing or proposed deed restrictions or exceptions concerning all or any portion of the parcel. A copy of such covenant, deed restrictions or exceptions shall be submit with application.	ted
	(e) The existing and proposed contours, referred to U.S. Coast and Geodetic Survey Datum, at a contour interval of not less than two feet. Existing contours are to be indicated by solid lines. Location existing rock outcroppings, high points, watercourses and drainag depressions, ponds, marshes, vegetation, wooded areas and oth significant existing features including previous flood elevations of courses ponds and areas as determined by survey. Trees of five inches or over in caliper shall be specifically located and identified proposed changes of such natural features shall be specifically no	o of e ways, er water- (5) . Any
	(f) The location, size, elevation, slope and type of storm drainage structures above and below grade, whether publicly or privately owned. Design calculations supporting the adequacy of proposed drainage shall be submitted. The Site Plan shall include existing ponds, streams, and watercourses as well as the designated Greenbelt if applicable	

<u>APPLICANT</u>		TOWNSHIP
	(g) The location of all existing buildings, bridges, culverts, paving, lighting, signs or any other structures with grade elevations for each structure. Grade elevations may be established from use of Township topographical maps.	
	(h) The distances measured along the right-of-way lines of existing streets abutting the property, to the nearest intersection with other streets.	
	(i) The proposed use or uses of the land, buildings and structures.	
	(j) The quantitative aspects of the proposal such as improvement coverage, number of units, square feet of construction, value of construction, density, coverage, number of employees, number of residents and area of land, etc. Specifically identified on the Site Plan, in tabular form shall be pertinent zoning data, indicating the bulk/area requirements of the zone in which the proposed development is located and how the proposed development respon to the zoning requirements.	ds
	(k) The proposed buildings and structures and any existing structures to remain, with dimensions, setbacks, heights (in feet and stories), and first floor or grade elevations. Existing buildings and structures to be removed shall be indicated. Sketch or typical building elevations indicating type of materials to be use.	
	(I) The location and designs of any off street parking areas, bicycle parking, service, trash or loading areas showing size and location of bays, aisles, barriers, planters, maneuvering areas, and traffic patterns. Include manufacture's cut or illustration depicting type of bicycle parking facility proposed. Also provide typical plan layout of facility at an appropriate scale to determine location from walkways and building lines.	
	_(m) The means of vehicular access for ingress to and egress from the site, showing the proposed traffic channels, lanes and any other structure or devise intended to control traffic.	
	(n) The location, design, dimensions, and materials details in the form of construction documents (and size of) for any on or off-site pedestrian parks, walkways and bicycle pathways, open space, common open space, plazas, promenades and recreation areas or any other public uses.	
	(o) The location and design of all proposed utility structures and lines, storm water drainage on –site and off-tract, with manholes, inlets, pipe sizes, grades, telephone, inverts and directions of flow, as well as telephone, power and light, water hydrant locations, sewer and gas, whether publicly or privately owned. Where on-site sewage disposal systems and/or potable water wells are provided these shall be located on the site plan indicating size of system and distance between wells and septic fields.	
	(p) The location and the design of the proposed screening landscaping and planting, including a planting plan and schedule of plant material	<u> </u>

(q) The location of all outdoor lighting (freestanding or on building), 	
	the size, nature of construction, lumens, heights, area and direction of illumination, foot-candles produces, typical manufacturer cuts illustrating style, and time controls proposed for outdoor lighting and display.	
	(r) The location and design of all signs, the size, nature of construction _ height and orientation, including all identification signs, traffic and directional signs and arrows, freestanding and facade signs and time controls for sign lighting.	
	(s) The location and size of all proposed easements, rights-of-way, public areas to be dedicated to the public or to be restricted or defined by deed or any other arrangement. Also the location of any Master Plan proposals indicating roadway, greenbelt, public area or facility shall be shown.	
	(t) A tabulation of a proposed building's perimeter that fronts on a public or private street or on a fire apparatus space expressed in feet as well as percentage of total building perimeter linear footage shall be indicated as part of site data information contained on site plan.	
(4) All items as required in the Environmental Impact Statement as set forth in Article V, Section 200-23 of this Part 1 or a statement concerning such which does not apply.	
(5) Where applicable, the method by which any common or public open space or commonly held building or structure is to be owned and maintained.	
(6) Where warranted, such other material deemed necessary by the Planning Board to evaluate the physical, fiscal or socioeconomic impact of the proposed development upon the Township.	
(7) Reserved.	
(8) Soil Survey Map, prepared by a professional engineer to indicate the different types of soils that exist on the subject tract and within two hundred (200) feet of the extreme limits of the subject tract. This map shall be in conformance with soil survey of Mercer County, New Jersey published by U.S. Department of Agriculture. Where wetlands exist on or within two hundred (200) feet of the extreme limits of the subject tract, as per N.J.A.C. 7:7A, of the wetlands boundary shall be superimposed on the soil survey map.	
(9) If wetlands exist, as per N.J.A.C. 7:7A, Freshwater Wetlands Protection Act rules are to be complied with prior to submission of plans to the Township. All areas of wetlands shall be depicted on plans with surveyor's metes and bounds information for the outbounds of such areas. A Letter of Interpretation issued by the N. J. Department of Environmental Protection, Division of Coastal Resources shall be submitted indicating the presence or absence of Freshwater Wetlands on the parcel in question.	

(10)A Land	scape Plan, prepared by a certified or licensed landscape	
archited schedu root spa width of walls, s	ct, at a minimum scale of 1" = 50' or larger, indicating a planting le indicating specific botanical and common plant names, sizes, acing, and comments, and indicating the location, form, height and fother landscape architectural materials such as berms, fences, ite furnishings bridges and walks, when required or appropriate, trative section drawing to show the effectiveness of landscape	d
	c Signage Plan conforming to the requirements of 200-91.U, Part 3, Subdivision and Site Plan procedures of pter.	
SECTION 2	200-14 <u>FINAL SITE PLAN APPROVAL</u>	
200-14.C.1	Final Site Plan Details – The final site plan application technical materials shall include the following:	
approval	roved preliminary site and copy of the preliminary resolution of together with all proposed additions, changes or departures m, if applicable.	
b) Final co	nstruction documents among other items, illustrating:	
(1)	The final plans for site development and site improvement including those construction details as may be specified at the time of preliminary approval.	
(2)	The ground floor or other floor plans sufficient to show pedestrian, vehicular or other access as it relates to the final site plan.	
(3)	The building elevation or typical elevations including _ size, structure, materials, colors and textures.	
(4)	Elevations or typical illustrations of any accessory structures, sign or area visible to the general public.	
(5)	A final Landscape Plan, signed and sealed by a certified or licensed landscape architect, in the form of construction drawings and substantially conforming to the approved preliminary Landscape Plan. The plan shall be prepared for separate halftone sheets of the engineer's grading site plan. The plan shall include the location and detailed specifications for all landscape architectural improvements including planting details which conform with the standard Township details and for the irrigation and maintenance of all planting areas.	
	A Traffic Signage Plan conforming to the requirements of Section 200-91.U, Part 3, Subdivision and Site Plan Procedures, of this chapter.	

200-15.C Minor Site Plan Details – The minor site plan application technical materials, notwithstanding any other requirements of this or other Township ordinances, shall contain the following:

<u>APPLICANT</u>	and of outer rewnering cramaneous, orian contain are renewing.	TOWNSHIP
	1) Locator map at a scale of one inch equals two thousand feet (1" = 2,000'), or larger scale, showing the lot and block number of the parcel in question and the lot and block numbers of adjacent or opposite properties. This map should also show any contiguous lot in which the applicant has any direct or indirect interest, and the nature of the applicant's interest.	
	2) A site plan at a scale of one inch equals fifty feet (1" = 50'), or larger scale, and any supplemental plans that are necessary to prope depict the project. The minor site plan shall show the following inform as appropriate to describe the proposed site modifications	
	 (a) North arrow, scale, graphic scale, date and notes and dated revisions. 	
	(b) The zoning district in which the parcel is located together with the district boundaries included within the boundaries of the parcel or within two hundred (200) feet therefrom. All setback lines, landscape strips, landscape buffers, building heights and other bulk requirements shall be shown and dimensioned. Any deviation from requirements of this Part 1 shall be specifically shown.	
	(c) Survey map, prepared by a licensed surveyor of New Jersey, showing boundaries of the properties, lines of all existing streets and roads, easements, rights-of-way, and areas dedicated to publ use within two hundred (200) feet of the development. These sha be dimensioned and where applicable, referenced as to direction.	
	(d) Reference to any existing or proposed deed restrictions or exceptions concerning all or any portion of the parcel. A copy of such covenants, deed restrictions or exceptions shall be submitted with the application.	d
	(e) The existing and proposed contours, referred to U.S. Coast and Geodetic Survey Datum, at a contour interval of not less than two (2) feet. Existing contours are to be indicated by solid lines. Any proposed change of on-site natural features (e.g. vegetation, wooded areas, watercourses, etc.) shall be specifically noted.	
	(f) The site plan shall include existing ponds, streams and watercours as well as the designated greenbelt or wetlands as defined by N.J. 7:7A Freshwater Wetlands Protection Act, if applicable. Any effect existing drainage facilities resulting from the proposed site modifications shall be described.	A.C. ts on

<u>APPLICANT</u>		TOWNSHIP
	(g) The location of all existing buildings, bridges, culverts, paving, lighting, signs or any other structures with grade elevations for each structure in the area adjacent to the proposed site modifical Grade elevations may be established from use of Township topographical maps.	tions.
	(h) The distances measure along the right-of-way lines of existing streets abutting the property, to the nearest intersection with other streets.	
	(i) The proposed modification(s) to the existing use or uses of the land, buildings and structures.	
	(j) Specifically identified on the site plan, in tabular form, shall be pertinent zoning data indicating the bulk/area requirements of the zone in which the proposed development is located and how the proposed site modifications respond to the zoning requirements.	
	(k) The location and size of all proposed easements, rights-of-way, public areas to be dedicated to the public or to be restricted or defined by deed or any other arrangement. Also the location of any Master Plan proposals indicating roadway, greenbelt, public area or facility shall be shown.	
	(I) A tabulation of a proposed building's perimeter that fronts on a public or private street or on a fire apparatus space expressed in feet as well as percentage of total building perimeter linear footage shall be indicated as part of site data information contained on a site plan.	
	(m) Location of all utilities including gas, electric, water, sewer, CATV.	·

REQUEST FOR WAIVER

Section From Which Waiver Requested

Reason for Request

LEGEND

(PRELIMINARY) or (FINAL)

SITE PLAN OF		
BLOCK	LOT	ZONE
DATE	SCALE	
APPLICANT		
ADDRESS		
SITE PLAN CONTRO	L NO	
I CONSENT TO THE OF WEST WINDSOR		WITH THE TOWNSHIP PLANNING BOARD
(Owner)		(Date)
To be signed before is (as applicable):	ssuance of a Building Permit	and incorporated only on a Final Site Plan
		OSTED FOR ALL THE REQUIRED PPLICABLE CODES AND ORDINANCES.
(Township Cle	ərk)	(Date)
(Building Perr	nit Issued)	(Date)
To be incorporated or	nly on Final Site Plan and sigr	ned prior to issuance of a Building Permit:
VERIFICATION THAT	FPAYMENT OF MUNICIPAL	TAXES OR ASSESSMENTS IS CURRENT
(Township Cle	 erk)	(Date)
APPROVED BY THE (Final Approval Date)	PLANNING BOARD (Prelimi	nary Approval Date)
(Chairman)		(Date)
(Secretary)		(Date)
APPROVED BY THE	HEALTH OFFICER	
(Chairman)		(Date)
EXPIRATION OF APP	PROVAL (PRELIMINARY – 3	YEARS; FINAL – 2 YEARS)
Date of Expiration (W	ithout Extensions)	