West Windsor Township Department of Community Development – Division of Land Use

SITE PLAN CHECKLIST

PROPERTY LO	CA	TION:								
вьоск4	7	LOT	2 - 6	A	PPLICA	TION CO	NTRO	L NO		
CHECKLIST CO	OM	PLETED BY _				HECKED ATE: 03/0				
() PRELIMIN	IAR	Y () FI	NAL	(X)P	RELIMIN	ARY/FIN	IAL	() SKET	CH PLAN
items are comp is requested, in	lete sert stec wa	d the applican "W.R." on the I. Certification liver requests.	t should appropr of applic	check th iate line, cation co	at item of and on F mpletene	ff on the leage 7 inc ess will be	line pro dicate y e held i	vided our r n abe	. If a wa easons yance, p	pending Planning
Section 200-11.	Α Ι	Map Details -	shall co	ntain follo		ormation	in addi	tion to		Review c Site Plan
APPLICANT										TOWNSHIP
X	_1)	Title and loca	tion of pr	operty						
Х	_2)	Name and address of landowner and applicant. If a corporation is landowner or applicant, the principal office location and name of President and Secretary shall be included.								
X	_3)	Name, address and professional license number and seal of the professional preparing documents and drawings. All plans shall be prepared, signed and sealed by a licensed professional engineer or architect.								
X	_4)	A place for the Board and the				nd Secret	tary of t	he Pl	anning	
X	_5)	Date of plan a	and any r	modificat	ions there	eto.				
X	_6)	The legends, Plan map.	as show	n on Pag	ge 8 of thi	s list, sha	all be o	n the	Site	
	20	ction 200-12 <u>s</u> 0-12.A Sketch ntain sufficient	n Details	- The Sk	etch Site					e applicant and ant.
	Se	ction 200-13	PRELIM	INARY S	ITE PLA	N APPRO	DVAL			
	tec	0-13.C Prelin chnical materia wnship ordina	als, notwi	ithstandir	ng any ot	her requi				

<u>APPLICANT</u>		TOWNSHIP
X	_ 1) Locator map at a scale of one inch equals two thousand feet (1"=2,000"), or larger scale, showing the lot and block number of the parcel in question and the lot and block number adjacent and opposite properties. This map should also show any contiguous lot in which the applicant has any direct or	
	indirect interest, and the nature of the applicant's interest.	
X	2) An aerial photograph superimposed upon the plans with the track boundaries outlined. Also photographs of the property where necessary to show any unusual topographic, environmental or physical aspect of the site. This would included but not be limited to rock outcroppings, vegetation, natural drainage ways, wetlands and existing structures and improvements.	
X	_ 3) A preliminary plan at a scale of one inch equals fifty feet (1"=50'), or larger scale and any supplemental plans that are necessary to properly depict the project. In the case of a complex project a scale other than one inch equals 50 feet may be submitted provided that one copy of a photomechanical reduction to a scale of one inch equals fifty feet is submitted. The preliminary plan shall show at least the following information:	
X	 (a) North arrow, scale, graphic scale, date and notes and dated revisions. 	
X	(b) The zoning district in which the parcel is located together with the district boundaries included within the boundaries of the parcel or within two hundred (200) feet therefrom. All setback lin landscape strips, landscape buffers, building heights and other bulk requirements shall be shown and dimensioned. Any deviation from requirements of this Part 1 shall be specifically sh	
X	(c) Survey map, prepared by a licensed surveyor of New Jersey showing boundaries of the properties, lines of all existing streets roads, easements, rights-of –way, and areas dedicated to public within two hundred (200') feet of the development. These shall be dimensioned and where applicable, referenced as to direction.	use
X	(d) References to any existing or proposed deed restrictions or exceptions concerning all or any portion of the parcel. A copy of such covenant, deed restrictions or exceptions shall be submit with application.	ted
X	(e) The existing and proposed contours, referred to U.S. Coast and Geodetic Survey Datum, at a contour interval of not less than two feet. Existing contours are to be indicated by solid lines. Location existing rock outcroppings, high points, watercourses and drainag depressions, ponds, marshes, vegetation, wooded areas and oth significant existing features including previous flood elevations of courses ponds and areas as determined by survey. Trees of five inches or over in caliper shall be specifically located and identified proposed changes of such natural features shall be specifically no	o of e ways, er water- (5)
X	(f) The location, size, elevation, slope and type of storm drainage structures above and below grade, whether publicly or privately owned. Design calculations supporting the adequacy of proposed drainage shall be submitted. The Site Plan shall include existing ponds, streams, and watercourses as well as the designated Greenbelt, if applicable.	

APPLICANT		TOWNSHIP
X	(g) The location of all existing buildings, bridges, culverts, paving, lighting, signs or any other structures with grade elevations for each structure. Grade elevations may be established from use of Township topographical maps.	
X	(h) The distances measured along the right-of-way lines of existing streets abutting the property, to the nearest intersection with other streets.	
X	(i) The proposed use or uses of the land, buildings and structures.	
X	_ (j) The quantitative aspects of the proposal such as improvement coverage, number of units, square feet of construction, value of construction, density, coverage, number of employees, number of residents and area of land, etc. Specifically identified on the Site Plan, in tabular form shall be pertinent zoning data, indicating the bulk/area requirements of the zone in which the proposed development is located and how the proposed development respon to the zoning requirements.	ds
X	(k) The proposed buildings and structures and any existing structures to remain, with dimensions, setbacks, heights (in feet and stories), and first floor or grade elevations. Existing buildings and structures to be removed shall be indicated. Sketch or typical building elevations indicating type of materials to be use.	
X	(I) The location and designs of any off street parking areas, bicycle parking, service, trash or loading areas showing size and location of bays, aisles, barriers, planters, maneuvering areas, and traffic patterns. Include manufacture's cut or illustration depicting type of bicycle parking facility proposed. Also provide typical plan layout of facility at an appropriate scale to determine location from walkways and building lines.	
X	(m) The means of vehicular access for ingress to and egress from the site, showing the proposed traffic channels, lanes and any other structure or devise intended to control traffic.	
X	(n) The location, design, dimensions, and materials details in the form of construction documents (and size of) for any on or off-site pedestrian parks, walkways and bicycle pathways, open space, common open space, plazas, promenades and recreation areas or any other public uses.	
X	(o) The location and design of all proposed utility structures and lines, storm water drainage on –site and off-tract, with manholes, inlets, pipe sizes, grades, telephone, inverts and directions of flow, as well as telephone, power and light, water hydrant locations, sewer and gas, whether publicly or privately owned. Where on-site sewage disposal systems and/or potable water wells are provided these shall be located on the site plan indicating size of system and distance between wells and septic fields.	
X	(p) The location and the design of the proposed screening landscaping and planting, including a planting plan and schedule of plant material	S.

X	(q) The location of all outdoor lighting (freestanding or on building),
	the size, nature of construction, lumens, heights, area and direction of illumination, foot-candles produces, typical manufacturer cuts illustrating style, and time controls proposed for outdoor lighting and display.
X	(r) The location and design of all signs, the size, nature of construction height and orientation, including all identification signs, traffic and directional signs and arrows, freestanding and facade signs and time controls for sign lighting.
X	(s) The location and size of all proposed easements, rights-of-way, public areas to be dedicated to the public or to be restricted or defined by deed or any other arrangement. Also the location of any Master Plan proposals indicating roadway, greenbelt, public area or facility shall be shown.
X	(t) A tabulation of a proposed building's perimeter that fronts on a public or private street or on a fire apparatus space expressed in feet as well as percentage of total building perimeter linear footage shall be indicated as part of site data information contained on site plan.
X	(4) All items as required in the Environmental Impact Statement as set forth in Article V, Section 200-23 of this Part 1 or a statement concerning such which does not apply.
N/A	(5) Where applicable, the method by which any common or public open space or commonly held building or structure is to be owned and maintained.
X	(6) Where warranted, such other material deemed necessary by the Planning Board to evaluate the physical, fiscal or socioeconomic impact of the proposed development upon the Township.
N/A	(7) Reserved.
X	(8) Soil Survey Map, prepared by a professional engineer to indicate the different types of soils that exist on the subject tract and within two hundred (200) feet of the extreme limits of the subject tract. This map shall be in conformance with soil survey of Mercer County, New Jersey published by U.S. Department of Agriculture. Where wetlands exist on or within two hundred (200) feet of the extreme limits of the subject tract, as per N.J.A.C. 7:7A, of the wetlands boundary shall be superimposed on the soil survey map.
N/A	(9) If wetlands exist, as per N.J.A.C. 7:7A, Freshwater Wetlands Protection Act rules are to be complied with prior to submission of plans to the Township. All areas of wetlands shall be depicted on plans with surveyor's metes and bounds information for the outbounds of such areas. A Letter of Interpretation issued by the N. J. Department of Environmental Protection, Division of Coastal Resources shall be submitted indicating the presence or absence of Freshwater Wetlands on the parcel in question.

X	(10)A Landscape Plan, prepared by a certified or licensed landscape							
	architect, at a minimum scale of 1" = 50' or larger, indicating a planting schedule indicating specific botanical and common plant names, sizes, root spacing, and comments, and indicating the location, form, height and width of other landscape architectural materials such as berms, fences, walls, site furnishings bridges and walks, when required or appropriate, an illustrative section drawing to show the effectiveness of landscape buffers.							
X	(11) A Traffic Signage Plan conforming to the requirements of							
	Section 200-91.U, Part 3, Subdivision and Site Plan procedures of this chapter.							
	SECTION 200-14 FINAL SITE PLAN APPROVAL							
	200-14.C.1 Final Site Plan Details – The final site plan application technical materials shall include the following:							
W	 a) The approved preliminary site and copy of the preliminary resolution of approval together with all proposed additions, changes or departures therefrom, if applicable. 							
	b) Final construction documents among other items, illustrating:							
W	(1) The final plans for site development and site improvement including those construction details as may be specified at the time of preliminary approval.							
X	(2) The ground floor or other floor plans sufficient to show pedestrian, vehicular or other access as it relates to the final site plan.							
X	(3) The building elevation or typical elevations including size, structure, materials, colors and textures.							
Χ	(4) Elevations or typical illustrations of any accessory structures, sign or area visible to the general public.							
W	(5) A final Landscape Plan, signed and sealed by a certified or licensed landscape architect, in the form of construction							
X	drawings and substantially conforming to the approved preliminary Landscape Plan. The plan shall be prepared for separate halftone sheets of the engineer's grading site plan. The plan shall include the location and detailed specifications for all landscape architectural improvements including planting details which conform with the standard Township details and for the irrigation and maintenance of all planting areas.							
^	(6) A Traffic Signage Plan conforming to the requirements of Section 200-91.U, Part 3, Subdivision and Site Plan Procedures, of this chapter.							

200-15.C Minor Site Plan Details – The minor site plan application technical materials, notwithstanding any other requirements of this or other Township ordinances, shall contain the following:

<u>APPLICANT</u>	φ	TOWNSHIP
	1) Locator map at a scale of one inch equals two thousand feet (1" = 2,000'), or larger scale, showing the lot and block number of the parcel in question and the lot and block numbers of adjacent or opposite properties. This map should also show any contiguous lot in which the applicant has any direct or indirect interest, and the nature of the applicant's interest.	
	2) A site plan at a scale of one inch equals fifty feet (1" = 50'), or larger scale, and any supplemental plans that are necessary to prope depict the project. The minor site plan shall show the following inform as appropriate to describe the proposed site modifications	
	 (a) North arrow, scale, graphic scale, date and notes and dated revisions. 	
	(b) The zoning district in which the parcel is located together with the district boundaries included within the boundaries of the parcel or within two hundred (200) feet therefrom. All setback lines, landscape strips, landscape buffers, building heights and other bulk requirements shall be shown and dimensioned. Any deviation from requirements of this Part 1 shall be specifically shown.	
	(c) Survey map, prepared by a licensed surveyor of New Jersey, showing boundaries of the properties, lines of all existing streets and roads, easements, rights-of-way, and areas dedicated to pub use within two hundred (200) feet of the development. These sha be dimensioned and where applicable, referenced as to direction.	all
	(d) Reference to any existing or proposed deed restrictions or exceptions concerning all or any portion of the parcel. A copy of such covenants, deed restrictions or exceptions shall be submitte with the application.	
	(e) The existing and proposed contours, referred to U.S. Coast and Geodetic Survey Datum, at a contour interval of not less than two (2) feet. Existing contours are to be indicated by solid lines. Any proposed change of on-site natural features (e.g. vegetation, wooded areas, watercourses, etc.) shall be specifically noted.	
	(f) The site plan shall include existing ponds, streams and watercour as well as the designated greenbelt or wetlands as defined by N.J 7:7A Freshwater Wetlands Protection Act, if applicable. Any effect existing drainage facilities resulting from the proposed site modification.	.A.C. ts on

APPLICANT	TOWNSHIP
(g) The location of all existing buildings, bridg lighting, signs or any other structures with each structure in the area adjacent to the Grade elevations may be established from topographical maps.	n grade elevations for proposed site modifications.
(h) The distances measure along the right-of-streets abutting the property, to the neares other streets.	
(i) The proposed modification(s) to the existin land, buildings and structures.	ng use or uses of the
(j) Specifically identified on the site plan, in ta be pertinent zoning data indicating the bull of the zone in which the proposed develop and how the proposed site modifications rezoning requirements.	k/area requirements oment is located
(k) The location and size of all proposed easy public areas to be dedicated to the public or defined by deed or any other arrangem location of any Master Plan proposals ind greenbelt, public area or facility shall be s	or to be restricted nent. Also the licating roadway,
(I) A tabulation of a proposed building's perim public or private street or on a fire apparain feet as well as percentage of total build footage shall be indicated as part of site docontained on a site plan.	itus space expressed ling perimeter linear
(m) Location of all utilities including gas, electrons	ric, water, sewer,CATV.
REQUEST FOR WA	JVER
Section From Which Waiver Requested	Reason for Request
Section 200-14.C.1(a)	The application is a joint preliminary and final approval (for Phase 1) and waiver necessary as Applicant has not received prior preliminary approval.
Section 200-14.C.1(b)	The application is a joint preliminary and final approval (for Phase 1) and waiver necessary as Applicant has not received prior preliminary approval.
Section 200-14.C.1(b)(5)	The application is a joint preliminary and final approval (for Phase 1) and waiver necessary as Applicant has not received prior preliminary approval.

LEGEND

(PREL	IMINA	ARY)	or	(FINAL

1.	SITE PLAN OF	Proposed	QuickChek co	onvenience sto	re with fuel servi	ce and Restaurant with I	Drive-thru		
					ZONE_				
	DATE_ 3/2/						_		
	APPLICANT								
	ADDRESS 250 Miron Drive, Southlake, TX 76092								
	SITE PLAN CO	NTROL NO.					_		
2.	I CONSENT TO OF WEST WIN (Owner	DOOD TOW	NOLID			HIP PLANNING BOARD WHAT WINDS TO	3.6.23		
3.	To be signed be (as applicable):		ce of a Buildir	ng Permit and i	ncorporated only	on a Final Site Plan			
					ED FOR ALL TH CABLE CODES A	E REQUIRED AND ORDINANCES.			
	(Towns	ship Clerk)				(Date)	-		
	(Buildin	ng Permit Iss	ued)			(Date)	-		
4. To be incorporated only on Final Site Plan and signed prior to issuance of a l						of a Building Permit:			
	VERIFICATION	N THAT PAYI	MENT OF MU	JNICIPAL TAX	ES OR ASSESS	MENTS IS CURRENT			
	(Towns	ship Clerk)				(Date)	_		
5.	APPROVED BY (Final Approval						-		
	(Chairn	nan)				(Date)	-		
	(Secret	tary)				(Date)	-		
6.	APPROVED BY	Y THE HEAL	TH OFFICER	2					
	(Chairn	man)				(Date)	_		
7.	EXPIRATION (OF APPROV	AL (PRELIMI	NARY – 3 YEA	ARS; FINAL - 2	YEARS)			
	Date of Expirat	ion (Without	Extensions)			-			

 $\label{thm:linear_lambda} $$ \sp = \frac{1}{2} \exp \sinh \alpha \cos \beta . $$ \sp = \frac{1}{2} \exp \beta . $$ \sp = \frac{1}{2} \exp \beta \cos \beta . $$ \sp = \frac{1}{2} \exp \beta \cos \beta . $$ \sp = \frac{1}{2} \exp \beta \cos \beta . $$ \sp = \frac{1}{2} \exp \beta \cos \beta . $$ \sp = \frac{1}{2} \exp \beta \cos \beta . $$ \sp = \frac{1}{2} \exp \beta \cos \beta . $$ \sp = \frac{1}{2} \exp \beta \cos \beta . $$ \sp = \frac{1}{2} \exp \beta \cos \beta . $$ \sp = \frac{1}{2} \exp \beta \cos \beta . $$ \sp = \frac{1}{2} \exp \beta \cos \beta . $$ \sp = \frac{1}{2} \exp \beta . $$ \sp = \frac{1}{2} \exp \beta . $$$